



*SINCE 1966*

**Our company has been producing and designing industrial kitchen equipments since 1966.**

**Since our establishment, we have continuously been working and developing with excitement and principle without compromising our high quality. In this way we have gained our respectable place in the market.**

**With our local kitchen production and supplementary imported products, we offer solutions to schools, hospitals, factories, restaurants, cafes, touristic and military fields...**

**According to Your demand and requests, You have the privilege to follow up your project in all steps, from 3 dimensions visual formats, until your project is ready for use. We undertake and guarantee you high quality service.**

**We follow technological developments and with our wide machine course we produce according to the world standard..**

**In our store, we offer a wide product range, completing with after sales service, spare parts and . Serving You, our high quality and service is not a habit, but a Pleasure for us.**

**WE INVITE YOU TO TAKE PART OF THIS PLEASURE...**



# COLD AND HOT SERVICE UNITS



## Wooden Decorative Options



- Temperli cam
- İç Gövde Paslanmaz Çelik
- GN 1/1 Kapasiteli
- 40 Kg/m<sup>3</sup> yoğunluk
- Poliüretan İzolasyon
- Dijital Kumanda Paneli
- Rezistanslı Otomatik Defrost
- Yüksekliği Ayarlanabilir Paslanmaz Ayaklar
- Özel Kapı ve Menteşe Sistemi
- Temizlenebilir ve Sökülebilir Manyetik Kapı Contası
- Soğutma Gazı: R 134 A / R 404 A
- Dış Ortam Sıcaklığı + 43 °C & % 65 Nem
- Alt Bölüm soğuk Saklama Dolabı
- Air- frost (hava üfleme) soğutma sistemi
- Opsiyonel ön dekor giydirme
- LED aydınlatma

- Tempered glass
- Inside Body Stainless Steel
- GN 1/1 Capacity
- 40 Kg/m<sup>3</sup> density
- Polyurethane Insulation
- Digital Control Panel
- Electronic defrosting control and display
- Stainless Steel Legs Adjustable for Height
- Special Door and Hinge Systems
- Removable and Easy Cleaning Magnetic Gasket
- Cooling Gas: R 134 A / R 404 A
- Ambient Temperature + 43 °C & % 65 Nem
- Lower Side is Refrigerator,
- Fan cooling
- Optional front surface
- LED Lighting

Models	Temperature C	Volume lt	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ112S	+2 / +8	3 x 1/1GN	112x85x130	117x90x120	120
YGZ150S	+2 / +8	4 x 1/1GN	150x85x130	155x90x120	140
YGZ180S	+2 / +8	5 x 1/1GN	180x85x130	185x90x120	160
YGZ200S	+2 / +8	5 x1/1GN+1x2/4GN	200x85x130	205x90x120	170



# SALAD SERVICE REFRIGERATOR



YGZ150S

## Wooden Decorative Options



- Temperli cam
- İç Gövde Paslanmaz Çelik
- GN 1/1 Kapasiteli
- 40 Kg/m<sup>3</sup> yoğunluk
- Poliüretan İzolasyon
- Dijital Kumanda Paneli
- Rezistanslı Otomatik Defrost
- Yüksekliği Ayarlanabilir Paslanmaz Ayaklar
- Özel Kapı ve Menteşe Sistemi
- Temizlenebilir ve Sökülebilir Manyetik Kapı Contası
- Soğutma Gazı: R 134 A / R 404 A
- Dış Ortam Sıcaklığı + 43 °C & % 65 Nem
- Alt Bölüm soğuk Saklama Dolabı
- Air- frost (hava üfleme) soğutma sistemi
- Opsiyonel ön dekor giydirme
- LED aydınlatma

- Tempered glass
- Inside Body Stainless Steel
- GN 1/1 Capacity
- 40 Kg/m<sup>3</sup> density
- Polyurethane Insulation
- Digital Control Panel
- Electronic defrosting control and display
- Stainless Steel Legs Adjustable for Height
- Special Door and Hinge Systems
- Removable and Easy Cleaning Magnetic Gasket
- Cooling Gas: R 134 A / R 404 A
- Ambient Temperature + 43 °C & % 65 Nem
- Lower Side is Refrigerator,
- Fan cooling
- Optional front surface
- LED Lighting

Models	Temperature C	Volume lt	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ180SK	+2 / +8	3 x 1/1GN+1x2/4GN	180x85x130	185x90x120	160
YGZ200SK	+2 / +8	4 x 1/1GN	200x85x130	205x90x120	170
YGZ250SK	+2 / +8	5 x 1/1GN+1x2/4GN	250x85x130	255x90x120	190
NOTR50	Drawer		50x85x85	55x90x95	30
NOTR90	Drawer		90x85x85	95x90x95	50

# SALAD SERVICE REFRIGERATOR (WITH CASH DESK)



YGZ200SK

## Wooden Decorative Options



- Temperli cam
- İç Gövde Paslanmaz Çelik
- Slikon rezistans
- GN 1/1 Kapasiteli
- Termostatik kumanda
- 220 V 50 Hz
- Paslanmaz çelik havuz
- Su tahliye vanası
- Opsiyonel ön dekor giydirme
- LED aydınlatma

- Tempered glass
- Inside Body Stainless Steel
- Flexible resistance
- GN 1/1 Capacity
- Thermostatic control
- 220 V 50 Hz
- Stainless steel well
- Water drainage valve
- Optional front surface
- LED Lighting

Models	Temperature C	Volume lt	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ114B	0 / +90	3 x 1/1GN	114x85x85/130	120x90x120	75
YGZ146B	0 / +90	4 x 1/1GN	146x85x85/130	151x90x120	90
YGZ178B	0 / +90	5 x 1/1GN	178x85x85/130	183x90x120	110



# HOT DISPLAY UNITS SERVICE



YGZ146B

## Wooden Decorative Options




- Temperli camlar
- İç Gövde Paslanmaz Çelik
- Air- frost (hava üfleme) soğutma sistemi
- Dijital Kumanda Paneli
- Elektrik Rezistanslı Otomatik Defrost
- CFC Free Soğutma Gazı: R134A/R404A
- Opsiyonel ön dekor giydirme
- LED aydınlatma

- Tempered glass
- Inside Body Stainless Steel
- Fan Cooling
- Digital Control Panel
- Electrical Resistor Automatic Defrost
- Cooling Gas: R 134 A / R 404 A
- Optional front surface
- LED Lighting

Models	Temperature C	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ100ED	+2 / +8	100x85x130	105x90x140	90
YGZ125ED	+2 / +8	125x85x130	130x90x140	130
YGZ150ED	+2 / +8	150x85x130	155x90x140	155

# MEAT DISPLAY REFRIGERATOR



YGZ125ED

## Wooden Decorative Options



- Temperli camlar
- Paslanmaz Çelik
- Opsiyonel ön dekor giydirme
- LED aydınlatma
- Ayarlanabilir ayaklar
- Filtreli davlumbaz

- Tempered glass
- Stainless Steel
- Optional front surface
- LED Lighting
- Adjustable feet
- Hood with filter

Models	Dimensions cm	Packing Dim. cm	Weight Kg
YGZOD100	110x85x240	120x137x160	90
YGZOD125	154x85x240	165x137x160	135
YGZOD150	204x85x240	215x137x160	185



# DISPLAY TYPE GRILL



YGZOD100

## Wooden Decorative Options





**PASTRY SERVICE UNITS**



- Isı cam
- İç Gövde Paslanmaz Çelik
- Air- frost (hava üfleme) soğutma sistemi
- 40 Kg/m<sup>3</sup> yoğunluk
- Dijital Kumanda Paneli
- Elektrik Rezistanslı Otomatik Defrost
- Ayarlı raf ayakları
- Soğutma Gazı: R 134 A / R 404 A
- Temperli gizli ısıtma, buğu engelleyici
- Opsiyonel ön dekor giydirme
- LED aydınlatma


- Double glazed
- Inside Body Stainless Steel
- Fan Cooling
- 40 Kg/m<sup>3</sup> density
- Digital Control Panel
- Electrical Resistor Automatic Defrost
- Adjustable stainless steel shelves
- Cooling Gas: R 134 A / R 404 A
- Special heating antifog glass
- Optional front surface
- LED Lighting

Models	Temperature C	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ100PD	+2 / +8	100x75x130	105x80x140	120
YGZ125PD	+2 / +8	125x75x130	130x80x140	142
YGZ150PD	+2 / +8	150x75x130	155x80x140	170






# PASTRY DISPLAY SHOWCASE



YGZ100PD

Wooden Decorative Options



- Temperli cam
- İç Gvde Paslanmaz elik
- Air- frost (hava flemeli) sođutma sistemi
- Dijital Kumanda Paneli
- Elektrik Rezistanslı Otomatik Defrost
- Paslanmaz elik raf ayakları
- Sođutma Gazı: R 134 A / R 404 A
- Temperli gizli ısıtma, buđu engelleyici
- Opsiyonel n dekor giydirme
- LED aydınlatma

- Tempered glass
- Inside Body Stainless Steel
- Fan Cooling
- Digital Control Panel
- Electrical Resistor Automatic Defrost
- Adjustable stainless steel shelves
- Cooling Gas: R 134 A / R 404 A
- Special heating antifog glass
- Optional front surface
- LED Lighting

Models	Temperature C	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ100PY	+2 / +8	100x70x130	105x75x140	140
YGZ130PY	+2 / +8	130x70x130	135x75x140	185




# PASTRY DISPLAY SHOWCASE



YGZ100PY

## Wooden Decorative Options



- Temperli cam
- İç Gövde AISI 304 Paslanmaz Çelik
- Hava üfleme sistemi
- Termostatik kumanda
- Nemlendirici
- 220 V 50 Hz
- Ayarlı raf ayakları
- Opsiyonel ön dekor giydirme
- LED aydınlatma

- Tempered glass
- Inner Body AISI 304 Stainless Steel
- Air-blown heating system
- Thermostatic control
- Humidifier
- 220 V 50 Hz
- Adjustable stainless steel shelves
- Optional front dressing
- LED lighting


Models	Temperature C	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ100STD	0 / +90	100x75x130	105x80x140	120
YGZ125STD	0 / +90	125x75x130	130x80x140	142
YGZ150STD	0 / +90	150x75x130	155x80x140	170

# HOT SERVICE UNIT



YGZ125STD

## Wooden Decorative Options



- Temperli Camlar
- Gvde Paslanmaz elik
- Hava flemeli ısıtma sistemi
- Nemlendirici
- Dijital Kontrol Paneli
- Reflektif Srg Kapı
- 220 V 50 Hz
- LED aydınlatma

- Tempered Glasses
- Inside Body Stainless Steel
- Air-blown heating system
- Humidifier
- Digital Control Panel
- Reflective Door
- 220 V 50 Hz
- LED Lighting

Models	Temperature C	Volume lt	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ70ST	0 / +90	0,28m <sup>3</sup>	70x65x60	75x70x70	40
YGZ100ST	0 / +90	0,40m <sup>3</sup>	100x65x60	105x70x70	60
YGZ110ST	0 / +90	0,85m <sup>3</sup>	110x70x100	115x75x110	80

# SET TOP HOT DISPLAY UNITS SERVICE



YGZ100ST



- İç Gövde Paslanmaz Çelik
- Özel Kumanda Sistemi – İç nem ve sıcaklık Ayarı
- Otomatik Su Buharlaştırma Sistemi
- Otomatik Defrost System
- LED aydınlatma
- CFC Free Soğutma Gazı R:134 A / R 404 A
- Dış Ortam Sıcaklığı : + 32 C° & % 40 Nem
- Himeleya tuzu tuğlası

- Inside Body Stainless Steel
- Special Control System for Inside Humidity and Temperatur Setting.
- Automatic Water Evaporation System
- Automatic Defrost System
- LED lighting
- Cooling Gas CFC Free: R 134 A / R 404 A
- Ambient Temperature. +32 C° & % 40 Humidity
- Himalaya salt brick

Models	Temperature C	Dimensions cm	Packing Dim. cm	Weight Kg
YGZ70DA	-3 / +5	91x88x214	96x95x220	290
YGZ140DA	-3 / +5	140x88x214	145x95x220	410






# DRY AGED BEEF



Wooden Decorative Options



YGZ70DA

**Firmamız 1966 yılından beri endüstriyel mutfak ekipmanları üretmekte ve tasarlamaktadır. Kurulumumuzdan bu yana, sürekli olarak yüksek kalitemizi kaybetmeden heyecanlı ve prensipli olarak çalışıp gelişmeye devam ettik. Bu sayede pazardaki saygın yerimizi kazandık.**

**Yerel mutfak üretimimiz ve tamamlayıcı ithal ürünlerimizle okullar, hastaneler, fabrikalar, restoranlar, kafeler, turistik yerler ve askeri alanlar için çözümler sunuyoruz ...**

**Talebiniz ve talepleriniz doğrultusunda projenizi 3 boyutlu görsel biçimlerden projenizin kullanıma hazır hale gelene kadar tüm aşamalarda takip etme imkânınız bulunmaktadır. Size yüksek kaliteli hizmet sunmayı taahhüt ve garanti ederiz.**

**Teknolojik gelişmeleri takip ediyoruz ve dünya standartlarına uygun geniş makine parkurumuzla üretiyoruz ..**

**Mağazamızda, satış sonrası servisle, yedek parça ile tamamlayarak geniş bir ürün yelpazesi sunuyoruz.**

**Size yüksek kalite ile hizmet etmek alışkanlık değil, bizim için bir zevktir.**



- **Technical and visual characteristics of the products maybe changed in order to improve the technical results and customer's satisfaction.**
- **The manufacturer reserves the right to make change dimensions, shape color in the process of product improvement without prior notice. Drawings and the photos have the visual character and may slightly differ from reality.**



---

[www.yakgaz.com](http://www.yakgaz.com)

Bahriye Cad. No:55 Kasımpaşa / Beyoğlu / İSTANBUL

Tel.: +90 212 297 97 37

[yakgaz@yakgaz.com](mailto:yakgaz@yakgaz.com)